

Price List 2026



■ Air-to-Air Heat Pumps

ViShop

Introducing a state-of-the-art ordering and quotation service for our wholesale partners!


A world of detailed information and user-friendly instruction tutorials awaits you, and it's available right now.

+ Place orders quickly, create multiple carts for different projects and get prices in a snap

+ Accessible on any device, whether you need to order one piece or a full heating system

+ Easy-to-use quote helper and handy boiler/parts lookup anytime you want

+ Exclusive to wholesalers for use with their entire team



To schedule an in-depth demonstration contact Inside Sales at 401-732-0667

1.1	Vitocal 100-S NEW	Ductless single zone air-to-air heat pump	Heat Pumps
1.2	Vitocal 100-S NEW	Ducted single zone air-to-air heat pump	
1.3	Vitocal 200-S NEW	Multi zone air-to-air heat pump	

Contents

as of April 27th, 2026

Appendix

- 1 **Terms and Conditions** of Sale, Delivery and Payment
- 2 **Viessmann Warranties**
- 3 **Approval and Listing Overview**




ViPARTS APP

Our ViParts App is an easy, quick & efficient method to find spare parts for contractors, technicians or engineers. With the help of the serial number Viessmann parts are now at your fingertips!


Looking to find out what spare parts you need to repair a boiler?

Simply enter the product serial number, product name or scan the barcode and receive instant results.

- Look up all the sub-assemblies for the products, select individual parts.
- View detailed product information like the item part number and in most cases an image of the part.
- Check the compatibility of your product and most recent part number and make your working life easier with the ViParts App.







Vitocal 100-S

Ductless single zone heat pump solution

Capacities from 6K to 60K BTU

Air-to-Air Heat Pumps

Next Generation R454B refrigerant delivers 75% lower Global Warming potential (GWP) and Zero Ozone Depletion Potential (ODP)

Heating and cooling from -22°F to 122°F (-30°C to 50°C).

100% Heating capacity at 5° F (-15° C)

*Outdoor unit operating range vary by model
Energy efficient, up to 27.5 SEER2, 18EER2, and 14.8 HSPF2

For compatibility matrix refer to the following document: [Vi R454B DLS Compatibility Chart](#)

*This trademark is registered with the U.S. Patent and Trademark Office.

VITOCAL 100-S NEW!

The Vitocal 100-S single zone ductless system cuts energy costs up to 60% while offering dependable performance in temperatures from -22°F to 122°F (-30°C to 50°C). *Important! Cassette Grille is ordered seperately from IND-C.*

Single Zone								
Vitocal 100-S Outdoor unit	Vitocal 100-S Indoor unit							
	Vitocal IND-H Highwall	Vitocal IND-O One Way Cassette		*Vitocal IND-C Cassette	Vitocal IND-D Slim Ducted			
D5CSHAH06AAK Size 6K 3206219 1,321.–	D5FSHAH06XAK 3206268 559.–	D5FSOAH06XAK 3206265 1,126.–			D5FSDAH06XAK 3204279 1,121.–		Order No. USD	
D5CSHAH09AAK Size 9K 3206220 1,405.–	D5FSHAH09XAK 3206269 574.–	D5FSOAH12XAK 3206266 1,191.–		D5FSCAH12XAK 3206252 890.–	D5FSDAH12XAK 3206257 1,012.–		Order No. USD	
D5CSHAH12AAK Size 12K 3206221 1,457.–	D5FSHAH12XAK 3206270 608.–						Order No. USD	
D5CSHAH18AAK Size 18K 3206222 1,829.–	D5FSHAH18XAK 3206271 721.–	D5FSOAH18XAK 3206267 1,277.–		D5FSCAH18XAK 3206253 1,074.–	D5FSDAH18XAK 3206259 1,191.–		Order No. USD	
D5CSHAH24AAK Size 24K 3206223 2,400.–	D5FSHAH24XAK 3206272 902.–			D5FSCAH24XAK 3206254 1,405.–			Order No. USD	
D5CSRAH30AAK Size 30K 3206224 2,890.–	D5FSHAH30XAK 3206273 1,132.–			Order No. USD				
D5CSHAH33AAK Size 33K 3206225 3,307.–	D5FSHAH33XAK 3206617 1,198.–			Order No. USD				
*Vitocal IND-G Cassette Grilles								
KSALG0103AAA 3206301 137.–	2x2' Cassette Grille for D5FSCAH 4-Way Cassette Sizes 9-18K						Order No. USD	
KSALG0203AAA 3206302 227.–	3x3' Cassette Grille for D5FSCAH, D5FLCAH 4-Way Cassette Sizes 24-48K						Order No. USD	
Vitocal ACC-E - Accessory Controls								
Wired Controllers	Highwall	One Way Cassette	Cassette	Slim Ducted	High Static Slim Ducted	Console	AHU	
KSACN1201AAA 3206297 178.–	✓	✓	✓	✓	✓	✓		Order No. USD
KSACN1401AAA 3206298 303.–	✓	✓	✓	✓	✓	✓	✓	Order No. USD
KSACN1701BAA 3214282 326.–	24V Interface required	24V Interface required	24V Interface required	24V Interface required	24V Interface required	24V Interface required	✓	Order No. USD
24V Interface								
KSAIC0601230 3206300 215.–	✓	✓	✓	✓	✓	✓	Built in	Order No. USD
KSAIC0801230 3214556 241.–	✓	✓	✓	✓	✓	✓	Built in	Order No. USD
WiFi kit								
KSAIF0701AAA 3206299 144.–	✓	✓	✓			9k-16k		Order No. USD

NEW! VITOCAL 100-S

Air-to-Air Heat Pumps

Single Zone					
Vitocal 100-S Outdoor unit	Vitocal 100-S Indoor unit (continued)				
	Vitocal IND-D High Static Slim Ducted	Vitocal IND-F Floor Console	Vitocal IND-A AHU	Vitocal IND-F Ceiling and Floor Console	
D5CSHAH09AAK Size 9K 3206220 1,405.–	D5FSDAH12XHK 3206258 1,218.–	D5FSFAH09XAK 3206249 823.–			Order No. USD
D5CSHAH12AAK Size 12K 3206221 1,457.–		D5FSFAH12XAK 3206250 886.–			Order No. USD
D5CSHAH18AAK Size 18K 3206222 1,829.–	D5FSDAH18XHK 3206260 1,368.–	D5FSFAH16XAK 3206251 986.–	D5FSAAH18XBK 3206281 1,673.–	D5FCFAH18XAK 3206244 1,337.–	Order No. USD
D5CSHAH24AAK Size 24K 3206223 2,400.–	D5FSDAH24XHK 3206261 1,624.–		D5FSAAH24XBK 3206282 1,700.–	D5FCFAH24XAK 3206245 1,452.–	Order No. USD
D5CSRAH30AAK Size 30K 3206224 2,890.–			D5FSAAH30XBK 3206283 1,857.–		Order No. USD
D5CSHAH33AAK Size 33K 3206225 3,307.–			D5FSAAH36XBK 3206284 1,894.–		Order No. USD

Light Commercial Single Zone					
Vitocal 100-S Outdoor unit	Vitocal 100-S Indoor unit				
	Vitocal IND-C Cassette	Vitocal IND-D High Static Slim Ducted	Vitocal IND-F Console	Vitocal IND-A AHU	
D5CLHAH36AAK Size 36K 3206216 4,990.–	D5FLCAH36XAK 3206255 1,949.–	D5FLDAH36XHK 3206262 1,921.–	D5FCFAH36XAK 3206246 1,663.–	D5FLAAH36XAK 3206285 1,925.–	Order No. USD
D5CLHAH48AAK Size 48K 3206217 6,040.–	D5FLCAH48XAK 3206256 2,034.–	D5FLDAH48XHK 3206263 1,997.–	D5FCFAH48XAK 3206247 2,051.–	D5FLAAH48XAK 3206286 2,059.–	Order No. USD
D5CLHAH58AAK Size 58K 3206218 7,512.–		D5FLDAH58XHK 3206264 3,333.–	D5FCFAH58XAK 3206248 2,606.–	D5FLAAH60XAK 3206287 2,155.–	Order No. USD

1.1

NEW! VITOCAL 100-S

Air-to-Air Heat Pumps

1.1**Vitocal ACC-E Electric Heat Kit**

EHKMC05KN	3206291 242.-	5KW ELEC. HEAT KIT	Order No. USD
EHKMC08KN	3206292 309.-	8KW ELEC. HEAT KIT	Order No. USD
EHKMC10KN	3206293 340.-	10KW ELEC. HEAT KIT	Order No. USD
EHKMC15KN	3206294 528.-	15KW ELEC. HEAT KIT	Order No. USD
EHKMC20KN	3206295 622.-	20KW ELEC. HEAT KIT	Order No. USD
EHKMC25KN	3206296 757.-	25KW ELEC. HEAT KIT	Order No. USD

Auxiliary heater compatibility

Model (Btu/h)	5kW	8kW	10kW	15kW	20kW	25kW	
18k BTU	✓	✓	✓				
24k BTU	✓	✓	✓	✓			
30k BTU	✓	✓	✓	✓			
36k BTU	✓	✓	✓	✓	✓		
48k BTU		✓	✓	✓	✓		
60k BTU			✓	✓	✓	✓	

Inverter Test Tool

3205180 273.-	Inverter test tool	Order No. USD
-------------------------	--------------------	-------------------------



Vitocal 100-S **Central Ducted single zone heat pump solution**

Air-to-Air Heat Pumps

Next Generation R454B refrigerant delivers 75% lower Global Warming potential (GWP) and Zero Ozone Depletion Potential (ODP)

Heating and cooling from -22°F to 122°F (-30°C to 50°C).

100% Heating capacity at 5° F (-15° C)

Easily connect systems to existing unitary line sets, ductwork, and 24V Thermostat

*Outdoor unit operating range vary by model

Energy efficient, up to 18.8 SEER2, 11 EER2, and 9.7 HSPF

Capacities: 18k-60k

For compatibility matrix refer to the following document: [Vi R454B DLS Compatibility Chart](#)

NEW! VITOCAL 100-S

Air-to-Air Heat Pumps

1.2

Vitocal 100-S D5CURAH(Standard Heat) D5CUHAH(High Heat)

Outdoor unit	Indoor unit		
	Vitocal IND-A AHU		
D5CURAH18AAK Size 18K 3206232 1,620.–	D5FUAAH18XAK 3206275 1,638.–	Order No. USD	
D5CUHAH18AAK Size 18K 3206226 1,980.–	D5FUAAH18XAK 3206275 1,638.–	Order No. USD	
D5CURAH24AAK Size 24K 3206233 2,031.–	D5FUAAH24XAK 3206276 1,666.–	Order No. USD	
D5CUHAH24AAK Size 24K 3206227 2,564.–	D5FUAAH24XAK 3206276 1,666.–	Order No. USD	
D5CURAH30AAK Size 30K 3206234 3,050.–	D5FUAAH30XAK 3206277 1,821.–	Order No. USD	
D5CUHAH30AAK Size 30K 3206228 3,465.–	D5FUAAH30XAK 3206277 1,821.–	Order No. USD	
D5CURAH36AAK Size 36K 3206235 3,482.–	D5FUAAH36XAK 3206278 1,887.–	Order No. USD	
D5CUHAH36AAK Size 36K 3206229 4,554.–	D5FUAAH36XAK 3206278 1,887.–	Order No. USD	
D5CURAH48AAK Size 48K 3206236 5,094.–	D5FUAAH48XAK 3206279 1,995.–	Order No. USD	
D5CUHAH48AAK Size 48K 3206230 5,786.–	D5FUAAH48XAK 3206279 1,995.–	Order No. USD	
D5CURAH60AAK Size 60K 3206237 5,655.–	D5FUAAH60XAK 3206280 2,110.–	Order No. USD	
D5CUHAH60AAK Size 60K 3206231 6,603.–	D5FUAAH60XAK 3206280 2,110.–	Order No. USD	

Auxiliary heater compatibility							Vitocal ACC-E Electric Heat Kit		
Model (Btu/h)	5kW	8kW	10kW	15kW	20kW	25kW			
18k BTU	✓	✓	✓				EHKMC05KN 3206291 242.-	5KW ELEC. HEAT KIT	Order No. USD
24k BTU	✓	✓	✓	✓			EHKMC08KN 3206292 309.-	8KW ELEC. HEAT KIT	Order No. USD
30k BTU	✓	✓	✓	✓			EHKMC10KN 3206293 340.-	10KW ELEC. HEAT KIT	Order No. USD
36k BTU	✓	✓	✓	✓	✓		EHKMC15KN 3206294 528.-	15KW ELEC. HEAT KIT	Order No. USD
48k BTU		✓	✓	✓	✓		EHKMC20KN 3206295 622.-	20KW ELEC. HEAT KIT	Order No. USD
60k BTU			✓	✓	✓	✓	EHKMC25KN 3206296 757.-	25KW ELEC. HEAT KIT	Order No. USD

Vitocal 100-S D5CUHAH(High Heat)			
Outdoor unit	Indoor unit		
	Vitocal IND-A - Modular Air Handler		
D5CUHAH18AAK Size 18K 3206226 1,980.–	D5FUHAH24XAK 3206288 2,174.–		Order No. USD
D5CUHAH24AAK Size 24K 3206227 2,564.–	D5FUHAH24XAK 3206288 2,174.–		Order No. USD
D5CUHAH30AAK Size 30K 3206228 3,465.–	D5FUHAH36XAK 3206289 2,664.–		Order No. USD
D5CUHAH36AAK Size 36K 3206229 4,554.–	D5FUHAH36XAK 3206289 2,664.–		Order No. USD
D5CUHAH48AAK Size 48K 3206230 5,786.–	D5FUHAH60XAK 3206290 3,139.–		Order No. USD
D5CUHAH60AAK Size 60K 3206231 6,603.–	D5FUHAH60XAK 3206290 3,139.–		Order No. USD

Vitocal ACC-E - Accessory Controls								
Wired Controllers	Highwall	One Way Cassette	Cassette	Slim Ducted	High Static Slim Ducted	Console	AHU	
KSACN1701BAA 3214282 326.-	24V Interface required	24V Interface required	24V Interface required	24V Interface required	24V Interface required	24V Interface required	✓	Order No. USD

Vitocal ACC-E Electric Heat Kit for Modular AHU Only			
EHKMD05KN	3206618 285.-	5KW ELEC. HEAT KIT for D5FUHAH	Order No. USD
EHKMD08KN	3206619 343.-	8KW ELEC. HEAT KIT for D5FUHAH	Order No. USD
EHKMD10KN	3206620 391.-	10KW ELEC. HEAT KIT for D5FUHAH	Order No. USD
EHKMD15KN	3206621 572.-	15KW ELEC. HEAT KIT for D5FUHAH	Order No. USD
EHKMD20KN	3206622 665.-	20KW ELEC. HEAT KIT for D5FUHAH	Order No. USD
EHKMD25KN	3206623 796.-	25KW ELEC. HEAT KIT for D5FUHAH	Order No. USD

Inverter Test Tool		
3205180 273.-	Inverter test tool	Order No. USD

NEW! VITOCAL 100-S

Air-to-Air Heat Pumps

1.2

Vitocal 100-S D5CURAH(Standard Heat) D5CUHAH(High Heat)				
Outdoor unit		Indoor unit		
		Vitocal IND-A - Multi Family Air Handler		
D5CURAH18AAK Size 18K 3206232 1,620.–		D5MUWA18XA3 3214548 1,075.–		Order No. USD
D5CUHAH18AAK Size 18K 3206226 1,980.–		D5MUWA18XA3 3214548 1,075.–		Order No. USD
D5CURAH24AAK Size 24K 3206233 2,031.–		D5MUWA24XA3 3214549 1,094.–		Order No. USD
D5CUHAH24AAK Size 24K 3206227 2,564.–		D5MUWA24XA3 3214549 1,094.–		Order No. USD
D5CURAH30AAK Size 30K 3206234 3,050.–		D5MUWA30XA3 3214550 1,223.–		Order No. USD
D5CUHAH30AAK Size 30K 3206228 3,465.–		D5MUWA30XA3 3214550 1,223.–		Order No. USD
D5CURAH36AAK Size 36K 3206235 3,482.–		D5MUWA36XA3 3214551 1,298.–		Order No. USD
D5CUHAH36AAK Size 36K 3206229 4,554.–		D5MUWA36XA3 3214551 1,298.–		Order No. USD

Vitocal ACC-E Electric Heat Kit for Multi Family Air Handler			
EHKME03KN 3214552 169.-	3KW ELEC. HEAT KIT for D5MUWA		Order No. USD
EHKME05KN 3214553 191.-	5KW ELEC. HEAT KIT for D5MUWA		Order No. USD
EHKME08KN 3214554 244.-	8KW ELEC. HEAT KIT for D5MUWA		Order No. USD
EHKME10KN 3214555 261.-	10KW ELEC. HEAT KIT for D5MUWA		Order No. USD

NEW! VITOCAL 100-S

Air-to-Air Heat Pumps

Vitocal 100-S D5CURAH(Standard Heat) D5CUHAH(High Heat)

Outdoor unit	Indoor unit				
	Vitocal IND-A - Cased Coil				
D5CURAH18AAK Size 18K 3206232 1,620.–	D5FULAH24XAX 3206611 1,111.–	D5FULAH24XBX 3206612 1,203.–			Order No. USD
D5CUHAH18AAK Size 18K 3206226 1,980.–	D5FULAH24XAX 3206611 1,111.–	D5FULAH24XBX 3206612 1,203.–			Order No. USD
D5CURAH24AAK Size 24K 3206233 2,031.–	D5FULAH24XAX 3206611 1,111.–	D5FULAH24XBX 3206612 1,203.–			Order No. USD
D5CUHAH24AAK Size 24K 3206227 2,564.–	D5FULAH24XAX 3206611 1,111.–	D5FULAH24XBX 3206612 1,203.–			Order No. USD
D5CURAH30AAK Size 30K 3206234 3,050.–	D5FULAH36XAX 3210536 1,233.–	D5FULAH36XBX 3206613 1,264.–	D5FULAH36XCX 3206614 1,328.–		Order No. USD
D5CUHAH30AAK Size 30K 3206228 3,465.–	D5FULAH36XAX 3210536 1,233.–	D5FULAH36XBX 3206613 1,264.–	D5FULAH36XCX 3206614 1,328.–		Order No. USD
D5CURAH36AAK Size 36K 3206235 3,482.–	D5FULAH36XAX 3210536 1,233.–	D5FULAH36XBX 3206613 1,264.–	D5FULAH36XCX 3206614 1,328.–		Order No. USD
D5CUHAH36AAK Size 36K 3206229 4,554.–	D5FULAH36XAX 3210536 1,233.–	D5FULAH36XBX 3206613 1,264.–	D5FULAH36XCX 3206614 1,328.–		Order No. USD
D5CURAH48AAK Size 48K 3206236 5,094.–	D5FULAH60XDX 3206616 1,565.–	D5FULAH60XMX 3210537 1,605.–			Order No. USD
D5CUHAH48AAK Size 48K 3206230 5,786.–	D5FULAH60XDX 3206616 1,565.–	D5FULAH60XMX 3210537 1,605.–			Order No. USD
D5CURAH60AAK Size 60K 3206237 5,655.–	D5FULAH60XDX 3206616 1,565.–	D5FULAH60XMX 3210537 1,605.–			Order No. USD
D5CUHAH60AAK Size 60K 3206231 6,603.–	D5FULAH60XDX 3206616 1,565.–	D5FULAH60XMX 3210537 1,605.–			Order No. USD

Vitocal ACC-E - Accessory Controls

24V Interface

KSAIC0701230 3214557 246.-	✓	✓	✓	✓	✓	✓	Built in	Order No. USD
---	---	---	---	---	---	---	----------	------------------

	D5FULAH24XAX	D5FULAH24XBX	D5FULAH36XAX	D5FULAH36XBX	D5FULAH36XCX	D5FULAH60XDX	D5FULAH60XMX
Height In/ (mm)	17.99(457)	17.99(457)	23.31(592)	23.58(599)	24.06(611)	27.99(711)	27.8(706)
Width In/ (mm)	14.49(368)	17.52(445)	14.49(368)	17.52(445)	21.02(534)	24.49(622)	21.61(549)
Depth In/ (mm)	21(533.4)	21(533.4)	21(533.4)	21(533.4)	21(533.4)	21(533.4)	21.5(546)



Vitocal 200-S

Ductless multi zone heat pump solution

Air-to-Air Heat Pumps

Next Generation R454B refrigerant delivers 75% lower Global Warming potential (GWP) and Zero Ozone Depletion Potential (ODP)

Heating and cooling from -22°F to 122°F (-30°C to 50°C).

Up to 116% Heating capacity at 5° F (-15° C)

*Outdoor unit operating range vary by model
Energy Efficient, up to 25 SEER2, 15 EER2, and 11.8 HSPF2

Up to 6 indoor units per Vitocal 200-S Outdoor unit

For compatibility matrix refer to the following document: [Vi R454B DLS Compatibility Chart](#)

NEW! VITOCAL 200-S

Air-to-Air Heat Pumps

*Important! Cassette Grille is ordered separately from IND-C.***1.3**

Multi zone							
Vitocal 200-S Outdoor Unit							
Vitocal Indoor Unit	D5CMHAH 18CAK Size 18K 3 Zone Max 3206238 2,477.–	D5CMHAH 24DAK Size 24K 4 Zone Max 3206239 2,958.–	D5CMHAH 30EAK Size 30K 5 Zone Max 3206240 3,888.–	D5CMHAH 36EAK Size 36K 5 Zone Max 3206241 4,481.–	D5CMHAH 48FAK Size 48K 6 Zone Max 3206242 6,180.–	D5CMHAH 55FAK Size 55K 6 Zone Max 3206243 7,377.–	Order No. USD
IND-H Highwall	D5FSHAH06XAK 3206268 559.–	D5FSHAH06XAK 3206268 559.–	D5FSHAH06XAK 3206268 559.–	D5FSHAH06XAK 3206268 559.–			Order No. USD
	D5FSHAH09XAK 3206269 574.–	D5FSHAH09XAK 3206269 574.–	D5FSHAH09XAK 3206269 574.–	D5FSHAH09XAK 3206269 574.–			
	D5FSHAH12XAK 3206270 608.–	D5FSHAH12XAK 3206270 608.–	D5FSHAH12XAK 3206270 608.–	D5FSHAH12XAK 3206270 608.–			
	D5FSHAH18XAK 3206271 721.–	D5FSHAH18XAK 3206271 721.–	D5FSHAH18XAK 3206271 721.–	D5FSHAH18XAK 3206271 721.–			
	D5FSHAH24XAK 3206272 902.–	D5FSHAH24XAK 3206272 902.–	D5FSHAH24XAK 3206272 902.–	D5FSHAH24XAK 3206272 902.–			
	D5FSHAH30XAK 3206273 1,132.–	D5FSHAH30XAK 3206273 1,132.–	D5FSHAH30XAK 3206273 1,132.–	D5FSHAH30XAK 3206273 1,132.–			
	D5FSHAH33XAK 3206617 1,198.–	D5FSHAH33XAK 3206617 1,198.–	D5FSHAH33XAK 3206617 1,198.–	D5FSHAH33XAK 3206617 1,198.–			
	D5FSHAH36XAK 3206274 1,246.–	D5FSHAH36XAK 3206274 1,246.–	D5FSHAH36XAK 3206274 1,246.–	D5FSHAH36XAK 3206274 1,246.–			
IND-O One Way Cassette	D5FSOAH06XAK 3206265 1,126.–	D5FSOAH06XAK 3206265 1,126.–					Order No. USD
	D5FSOAH12XAK 3206266 1,191.–	D5FSOAH12XAK 3206266 1,191.–					
	D5FSOAH18XAK 3206267 1,277.–	D5FSOAH18XAK 3206267 1,277.–					
*IND-C Cassette	D5FSCAH12XAK 3206252 890.–	D5FSCAH12XAK 3206252 890.–	D5FSCAH12XAK 3206252 890.–				Order No. USD
	D5FSCAH18XAK 3206253 1,074.–	D5FSCAH18XAK 3206253 1,074.–	D5FSCAH18XAK 3206253 1,074.–				
	D5FSCAH24XAK 3206254 1,405.–	D5FSCAH24XAK 3206254 1,405.–	D5FSCAH24XAK 3206254 1,405.–				

Vitocal 200-S Outdoor Unit (continued)

Vitocal Indoor Unit	D5CMHAH 18CAK Size 18K 3 Zone Max 3206238 2,477.–	D5CMHAH 24DAK Size 24K 4 Zone Max 3206239 2,958.–	D5CMHAH 30EAK Size 30K 5 Zone Max 3206240 3,888.–	D5CMHAH 36EAK Size 36K 5 Zone Max 3206241 4,481.–	D5CMHAH 36EAK Size 36K 6 Zone Max 3206242 6,180.–	D5CMHAH 55FAK Size 55K 6 Zone Max 3206243 7,377.–	Order No. USD
IND-D Ducted	D5FSDAH06XAK 3204279 1,121.–	D5FSDAH06XAK 3204279 1,121.–					Order No. USD
	D5FSDAH12XAK 3206257 1,012.–	D5FSDAH12XAK 3206257 1,012.–					
	D5FSDAH18XAK 3206259 1,191.–	D5FSDAH18XAK 3206259 1,191.–					
IND-D High Static Slim Ducted	D5FSDAH12XHK 3206258 1,218.–	D5FSDAH12XHK 3206258 1,218.–					Order No. USD
	D5FSDAH18XHK 3206260 1,368.–	D5FSDAH18XHK 3206260 1,368.–					
		D5FSDAH24XHK 3206261 1,624.–					
IND-F Console	D5FSFAH09XAK 3206249 823.–	D5FSFAH09XAK 3206249 823.–					Order No. USD
	D5FSFAH12XAK 3206250 886.–	D5FSFAH12XAK 3206250 886.–					
	D5FSFAH16XAK 3206251 986.–	D5FSFAH16XAK 3206251 986.–					
	D5FCFAH18XAK 3206244 1,337.–	D5FCFAH18XAK 3206244 1,337.–					
	D5FCFAH24XAK 3206245 1,452.–	D5FCFAH24XAK 3206245 1,452.–					
IND-A AHU	D5FSAAH18XBK 3206281 1,673.–	D5FSAAH18XBK 3206281 1,673.–		D5FSAAH18XBK 3206281 1,673.–			Order No. USD
		D5FSAAH24XBK 3206282 1,700.–		D5FSAAH24XBK 3206282 1,700.–			
		D5FSAAH30XBK 3206283 1,857.–		D5FSAAH30XBK 3206283 1,857.–			
		D5FSAAH36XBK 3206284 1,894.–		D5FSAAH36XBK 3206284 1,894.–			

Air-to-Air Heat Pumps

Important! Cassette Grille is ordered seperately from IND-C.

*Vitocal IND-G Cassette Grilles

KSALG0103AAA	3206301 137.-	2x2' Cassette Grille for D5FSCAH 4-Way Cassette Sizes 9-18K	Order No. USD
KSALG0203AAA	3206302 227.-	3x3' Cassette Grille for D5FSCAH, D5FLCAH 4-Way Cassette Sizes 24-48K	Order No. USD

Vitocal ACC-E - Accessory Controls

Wired Controllers	Highwall	One Way Cassette	Cassette	Slim Ducted	High Static Slim Ducted	Console	AHU	
KSACN1201AAA	3206297 178.-	✓	✓	✓	✓	✓		Order No. USD
KSACN1401AAA	3206298 303.-	✓	✓	✓	✓	✓	✓	Order No. USD
KSACN1701BAA	3214282 326.-	24V Interface required	24V Interface required	24V Interface required	24V Interface required	24V Interface required	✓	Order No. USD

24V Interface (programmable, built-in WiFi)

KSAIC0601230	3206300 215.-	✓	✓	✓	✓	✓	Built in	Order No. USD
KSAIC0801230	3214556 241.-	✓	✓	✓	✓	✓	Built in	Order No. USD

WiFi Kit

KSAIF0701AAA	3206299 144.-	✓	✓	✓		9k-16k		Order No. USD
---------------------	------------------	---	---	---	--	--------	--	------------------

Vitocal ACC-E Electric Heat Kit

EHKMC05KN	3206291 242.-	5KW ELEC. HEAT KIT	Order No. USD
EHKMC08KN	3206292 309.-	8KW ELEC. HEAT KIT	Order No. USD
EHKMC10KN	3206293 340.-	10KW ELEC. HEAT KIT	Order No. USD
EHKMC15KN	3206294 528.-	15KW ELEC. HEAT KIT	Order No. USD
EHKMC20KN	3206295 622.-	20KW ELEC. HEAT KIT	Order No. USD
EHKMC25KN	3206296 757.-	25KW ELEC. HEAT KIT	Order No. USD

Auxiliary heater compatibility

Model (Btu/h)	5kW	8kW	10kW	15kW	20kW	25kW	
18k BTU	✓	✓	✓				
24k BTU	✓	✓	✓	✓			
30k BTU	✓	✓	✓	✓			
36k BTU	✓	✓	✓	✓	✓		
48k BTU		✓	✓	✓	✓		
60k BTU			✓	✓	✓	✓	

Inverter Test Tool

	3205180 273.-	Inverter test tool	Order No. USD
--	------------------	--------------------	------------------

Terms and Conditions of Sale, Delivery and Payment

Viessmann

I. General Provisions

1. All references to “Viessmann” in this document include Viessmann Manufacturing Company (U.S.) Inc. and any parent, subsidiary, or affiliate. References to “Buyer” include all parents, subsidiaries, or affiliates of the party ordering products or services from Viessmann. All sales of Viessmann products and quotations for Viessmann products are governed by these Terms and Conditions of Sale, Delivery, and Payment (the “Terms”), which shall prevail over any inconsistent terms in Buyer’s purchase order or other documents. Additional or different terms and conditions in any way altering or modifying these Terms are expressly objected to and shall not be binding upon Viessmann unless specifically accepted by Viessmann in writing. No modification or alteration of these Terms shall occur by Viessmann’s shipment of products following receipt of Buyer’s purchase order or other document containing additional, inconsistent, or conflicting terms.

2. Any product purchased from Viessmann in the United States is for resale and use only in the United States. Buyer agrees that it will not resell Viessmann products for use or installation outside of the United States and will take all reasonable and necessary steps to ensure that the Viessmann products are resold only for use and installation in the United States.

II. Plans and Specifications

1. Drawings, specifications and technical data appended to or forming part of a specific sales contract shall at all times remain the property of Viessmann, with all rights reserved and shall not be provided, submitted or disclosed to third parties without the express written consent of Viessmann. Changes, alterations, deletions or additions thereto shall not be binding upon Viessmann unless confirmed in writing by Viessmann.

III. Prices and Quotations

1. Viessmann reserves the right to change, alter, amend or revoke prices and quotes, including prices on websites and in pricelists and catalogs, without notice, and all such prices expire and become invalid unless accepted within 60 calendar days.

2. Prices are, except as otherwise agreed, exclusive of cost of packaging, crating, freight or shipping, federal, state or local taxes in effect on date of delivery. All taxes imposed on sales or shipments will be added to the purchase price and be reimbursed by Buyer. All prices and other terms shall be kept confidential and disclosed only as required by law.

IV. Terms of Payment

1. For all Viessmann products, all invoices or accounts, as the case may be, are due and payable in full without deduction thirty (30) days after invoice date, unless otherwise specifically agreed in writing.

2. Notwithstanding the preceding paragraph, all orders are subject to Viessmann’s continuing approval of Buyer’s credit. If Buyer’s credit is not approved or becomes unsatisfactory to Viessmann then Viessmann, in its sole and absolute discretion, may suspend or cancel performance, or require different payment terms, including but not limited to cash on delivery or in advance of shipment. Viessmann, in its sole and absolute discretion, may apply Buyer’s payment to any open charges or sums owed, including interest charges.

3. Holdbacks or deductions of any kind whatsoever without prior written authorization from Viessmann are expressly prohibited.

Viessmann shall have rights of setoff and recoupment.

4. Discounts, if any, shall be calculated on the cost of products as per invoice, exclusive of cost of packaging, crating, federal, provincial, state or local rates, tariffs or taxes, where applicable, or other costs or surcharges beyond control of Viessmann.

5. Payments must be made in U.S. dollars by bank check, ACH wire transfer or money order. All costs for dishonor, presentment for payment or collection shall be at the expense of the Buyer.

6. Overdue accounts shall bear interest at the rate stated on the face of the invoice.

V. Delivery of Products

1. Viessmann shall not be liable for delay or default in delivery resulting from any cause beyond its control, including but not limited to governmental action, strikes or other labor issues, fire, damage or destruction of products or facilities, wars, acts of terrorism, manufacturers and/or suppliers shortages, availability or timeliness of transportation, materials or supplies, and acts of God (each a “Force Majeure event”). Upon the occurrence of a Force Majeure event: (a) the time for Viessmann’s performance shall be reasonably extended; (b) the purchase price to Viessmann shall be adjusted for any increased costs Viessmann incurs from the Force Majeure event; and (c) Buyer shall not be entitled to any other remedy.

2. In the event of delay of delivery of products caused by the Buyer for any reason whatsoever Viessmann shall be entitled to charge the cost of storage calculated at the rate of one half percent (0.5%) per month upon the cost of products, such calculation commencing one month after delivery of Notice of Readiness for shipment and continuing for each and every month or part thereof thereafter until the delivery of products to the Buyer.

VI. Risk of Property

1. Sales of Viessmann products are made FOB Origin, freight collect or FOB Origin, Freight Prepaid and charged back. The FOB point shall be Viessmann’s office or warehouse. Title and risk of loss shall pass to Buyer at the FOB point.

2. Deficiencies or defects in products or part thereof shipped or shipment of wrong products or part thereof shall be endorsed upon the bill of lading and shall be communicated to Viessmann in writing within eight (8) calendar days of arrival at destination. Failing such notification shall be deemed to have accepted the products without recourse.

VII. Return of Products

1. No products may be returned to Viessmann without prior written authorization.

2. If returns are authorized by Viessmann, products will be accepted as follows:

- (i) Buyer must provide proof of purchase, invoice and/or serial number to receive a Return Products Authorization number from Viessmann. Upon authorization from Viessmann, freight will be prepaid by the buyer.
- (ii) Item and packaging must be new and in saleable condition. Twenty-five percent (25%) restocking charge on product returned after 30 days of purchase.
- (iii) Electronic parts, where factory seal has been broken are not returnable.
- (iv) Discontinued products and/or parts are not returnable.

VIII. Limitation of Liability

Viessmann's total liability to Buyer for any claim arising under the Terms or from the supply of products or services shall not exceed the purchase price specified on the face of the invoice. VIESSMANN SHALL NOT IN ANY EVENT BE LIABLE FOR INDIRECT, SPECIAL, PUNITIVE, CONSEQUENTIAL OR LIQUIDATED DAMAGES

OR PENALTIES, INCLUDING CLAIMS FOR LOST REVENUE, PROFITS OR BUSINESS OPPORTUNITIES, EVEN IF VIESSMANN HAD OR SHOULD HAVE HAD ANY KNOWLEDGE, ACTUAL OR CONSTRUCTIVE, OF THE POSSIBILITY OF SUCH DAMAGES.

IX. Indemnity

Buyer shall and does hereby agree to defend, indemnify and hold Viessmann harmless of and from any and all liability loss, cost, injury, damage, demand and expense (including, without limitation, reasonable attorneys' fees) of any kind whatsoever arising out of, on account of, or in connection with a breach of these Terms, Buyer's negligence or willful misconduct (including that of its employees, contractors, and agents), violation of applicable law by Buyer or any employee or third party acting by or on behalf of Buyer, improper installation of the products and/or any use or misuse of the products. This indemnity shall not be affected or terminated by reason of the termination of these Terms or purchase, for any reason, with respect to all or any part of the products.

X. Warranties

THE WRITTEN LIMITED WARRANTY ACCOMPANYING THE PRODUCTS IS THE EXCLUSIVE WARRANTY APPLICABLE TO THE PURCHASED VIESSMANN PRODUCTS. THAT WARRANTY IS GIVEN IN LIEU OF ALL OTHER WARRANTIES WITH RESPECT TO THE PURCHASED VIESSMANN PRODUCTS. VIESSMANN MAKES NO OTHER WARRANTIES WITH RESPECT THERETO, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ANY SUCH WARRANTY IMPOSED BY LAW IS LIMITED TO THE PERIOD OF THE LIMITED WARRANTY PROVIDED IN THE LIMITED WARRANTY ACCOMPANYING THE PRODUCTS. NO WARRANTY ARISING BY USAGE OR CUSTOM, OR COURSE OF PERFORMANCE IS GIVEN BY VIESSMANN OR SHALL ARISE IN CONNECTION WITH THAT LIMITED WARRANTY. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you in that respect.

XI. Applicable Law and Forum

1. These Terms shall be governed by the law of Rhode Island without regard to its choice of law principles.
2. All disputes based upon or arising out of these Terms or the parties commercial relationship shall be brought before the state or federal courts of the State of Rhode Island, which shall have exclusive jurisdiction over all such disputes. The parties waive any objections to venue in, or the exercise of jurisdiction by, the state and federal courts in Rhode Island.

XII. Other

1. The invalidity or unenforceability of some or all of these Terms will not affect the validity or enforceability of the other terms. The parties agree to replace any void or unenforceable term with

a new term that achieves substantially the same practical and economic effect and is valid and enforceable.

2. Buyer shall pay all of Viessmann's costs of collection, suit or other legal action brought as a result of the commercial relationship between them, including but not limited to attorney's fees and costs, pre-suit through trial and appeal.

XIII. Data Privacy and Security

"Personal Information" means any information Buyer receives or has access to in connection with any products or services hereunder that (a) identifies or relates to an individual or household who can be identified directly or indirectly from that data alone or in combination with other information in Buyer's possession or control or that Buyer is likely to have access to, or (b) is defined by applicable data privacy law as protected personal information.

Buyer will only process, retain, use, or disclose Personal Information to the extent, and in such a manner, as is necessary for the sale, installation, or maintenance of the products or services provided under these Terms. Buyer will not process, retain, use, or disclose Personal Information for any other purpose or in a way that does not comply with these terms, the written instructions of Viessmann, or applicable data privacy law.

Buyer must promptly comply with any Viessmann request or requirement of the Buyer to amend, transfer, or delete the Personal Information, or to stop, mitigate, or remedy any unauthorized processing. Buyer will maintain the confidentiality of all Personal Information, will not sell it to anyone, and will not disclose it to third parties unless Viessmann specifically authorizes the disclosure, or as required by law.

Buyer will limit Personal Information access to those employees and authorized third parties who require Personal Information access to meet the Buyer's obligations under these Terms or any other Agreement with Viessmann. Buyer will require that all such employees and third parties agree to terms regarding data privacy and protection no less stringent than those contained in these Terms. Buyer is solely responsible for such employees and third parties in regard to Personal Information.

Buyer must at all times implement appropriate technical and organizational measures designed to safeguard Personal Information against unauthorized or unlawful processing, access, copying, modification, storage, reproduction, display, or distribution, and against accidental loss, destruction, or damage. Buyer will notify Viessmann as soon as practicable, but in any case within 48 hours, of any unauthorized or unlawful processing, access, copying, modification, storage, reproduction, display, distribution, accidental loss, destruction, or damage to any Personal Information (collectively, "Security Incident"). Buyer will, at its sole expense, take immediate action to remedy all Security Incidents, and will report and update findings to Viessmann promptly as they become available during the course of Buyer's remediation and investigation.

US

Warranties			
Product	Type	Residential Use	Commercial Use
Vitocal 100-S	Heat Pumps	Limited Warranty for Ductless and Ducted Split Unit and Components 0-10 years. 6225 685	Limited Warranty for Ductless and Ducted Split Unit and Components 0-7 years. 6225 685
Vitocal 200-S	Heat Pumps	Limited Warranty for Ductless and Ducted Split Unit and Components 0-10 years. 6225 685	Limited Warranty for Ductless and Ducted Split Unit and Components 0-7 years. 6225 685


Approval and Listing Overview

as of April 27th, 2026

Viessmann

ASME

Boiler and pressure vessel built to ASME Sec. IV. American Society of Mechanical Engineers. Applicable in Canada and USA.



AHRI

Air Conditioning, Heating and Refrigeration Institute. Listing is issued for gas- and oil-fired boilers rated < 300 MBH which have AFUE values (residential), and also for units > 300 MBH which have combustion efficiency ratings (commercial). Applicable in Canada and USA.



Energy Star Logo

Listing. Issued for oil and gas boilers with < 300 MBH only. Applicable in Canada and USA.



CRN

Canadian Registration Number approval. Issued for Canadian products complying with CSA-B51 standard and the respective "Provincial Boiler and Pressure Vessel Act". Acceptance in all provinces is indicated with a "C". Applicable in Canada only.

AHRI

Air Conditioning, Heating and Refrigeration Institute Listing is issued for Air-Cooled Water Chilling Packages.



Energy Verification Logo

Listing. Issued for products with < 300 MBH. Applicable in Canada only.



CSA

Canadian Standards Association approval. Tests products for compliance to Canadian and American codes and standards. Applicable in Canada and USA.



NY

New York City approval. Bureau of Air Resources (BAR) for oil boilers greater than 20 GPH. Applicable in NY City only.

ICC-SRCC Certification Solar Rating and Certification Corporation.



Low Lead Content
CSA Low Lead Content Certification Program including US Safe Drinking Water Act, NSF/ANSI 372 as well as other US State requirements. Applicable in Canada and USA.



MASS

Massachusetts State approval. Applicable to gas-fired boilers and indirect-fired domestic hot water tanks only. Applicable in Massachusetts only.

UL

Underwriters Laboratories approval. Tests products for compliance to Canadian and American codes and standards. Applicable in Canada and USA.



ETL

Environmental Testing Laboratories Inc. Certification body with product testing done by Intertek Testing Services.



CEC

California Energy Commission listing. Applicable in California only.

